



Maharashtra Pollution Control Board

महाराष्ट्र प्रदूषण नियंत्रण मंडळ

FORM V

(See Rule 14)

Environmental Audit Report for the financial Year ending the 31st March 2026

Unique Application Number

MPCB-ENVIRONMENT_STATEMENT-0000092388

Submitted Date

20-05-2026

PART A

Company Information

Company Name

STT GLOBAL DATA CENTERS INDIA
PRIVATE LIMITED

Application UAN number

UAN No.0000234134

Address

Plot No. 51 and 51/1 Gen-50/1 TTC. MIDC,
Village: Khairane, Dist: Thane - 400709.

Plot no

Plot No. 51 and 51/1 Gen-50/1

Taluka

Thane

Village

Khairane

Capital Investment (In lakhs)

115550

Scale

LSI

City

Thane

Pincode

400709

Person Name

Mr. Rajesh Kumar Tiwari

Designation

Associate Vice President

Telephone Number

9769321613

Fax Number

0

Email

Rajesh.Tiwari@sttelemediagdc.in

Region

SRO-Navi Mumbai II

Industry Category

Red

Industry Type

other

Last Environmental statement submitted online

yes

Consent Number

Format1.0/CAC-CELL/UAN
No.0000234134/CR/2504000521

Consent Issue Date

2025-04-03

Consent Valid Upto

2026-05-31

Establishment Year

2017

Date of last environment statement submitted

Nov 20 2025 12:00:00:000AM

Industry Category Primary (STC Code) & Secondary (STC Code)

Product Information

Product Name

NA as it is a data center

Consent Quantity

0

Actual Quantity

0

UOM

Nos./Y

By-product Information

By Product Name

NA

Consent Quantity

0

Actual Quantity

0

UOM

Nos./Y

Part-B (Water & Raw Material Consumption)

1) Water Consumption in m3/day

Water Consumption for Process	Consent Quantity in m3/day	Actual Quantity in m3/day
	0.00	0.00
Cooling	4.28	0.00
Domestic	2.50	2.30
All others	15.00	14.50
Total	21.78	16.80

2) Effluent Generation in CMD / MLD

Particulars	Consent Quantity	Actual Quantity	UOM
Daily quantity of trade effluent from the factory	1.28	0	CMD
Daily quantity of sewage effluent from the factory	2.25	1.76	CMD

2) Product Wise Process Water Consumption (cubic meter of process water per unit of product)

Name of Products (Production)	During the Previous financial Year	During the current Financial year	UOM
NA	0	0	CMD

3) Raw Material Consumption (Consumption of raw material per unit of product)

Name of Raw Materials	During the Previous financial Year	During the current Financial year	UOM
NA	0	0	CMD

4) Fuel Consumption

Fuel Name	Consent quantity	Actual Quantity	UOM
HSD	11860	100	Ltr/Hr

Part-C

Pollution discharged to environment/unit of output (Parameter as specified in the consent issued)

[A] Water

Pollutants Detail	Quantity of Pollutants discharged (kL/day) Quantity	Concentration of Pollutants discharged(Mg/Lit) Except PH,Temp,Colour Concentration	Percentage of variation from prescribed standards with reasons %variation	Standard	Reason
BOD(STP)	0	6	0	10mg/L	NA
COD(STP)	0	28	0	50mg/L	NA
TSS(STP)	0	12	0	20mg/L	NA

[B] Air (Stack)

Pollutants Detail	Quantity of Pollutants discharged (kL/day) Quantity	Concentration of Pollutants discharged(Mg/NM3) Concentration	Percentage of variation from prescribed standards with reasons %variation	Standard	Reason
SO2(DG Set 1_2750KVA)	0.76	0	0	<227.7 Kg/day	NA
TPM (DG Set 1_2750KVA)	0	61.3	0	<150 mg/Nm3	NA
SO2(DG Set 2_2750KVA)	0.66	0	0	<227.7 Kg/day	NA

TPM (DG Set 2_2750KVA)	0	64.3	0	<150 mg/Nm3	NA
SO2(DG Set 3_2500KVA)	0.93	0	0	<227.7 Kg/day	NA
TPM (DG Set 3_2500KVA)	0	65.2	0	<150 mg/Nm3	NA
SO2(DG Set 4_2750KVA)	0.96	0	0	<227.7 Kg/day	NA
TPM (DG Set 4_2750KVA)	0	64.8	0	<150 mg/Nm3	NA
SO2(DG Set 5_2750KVA)	0.98	0	0	<227.7 Kg/day	NA
TPM (DG Set 5_2750KVA)	0	63.38	0	<150 mg/Nm3	NA
SO2(DG Set 6_2500KVA)	0.69	0	0	<227.7 Kg/day	NA
TPM (DG Set 6_2500KVA)	0	60.8	0	<150 mg/Nm3	NA
SO2(DG Set 7_2750KVA)	0.76	0	0	<227.7 Kg/day	NA
TPM (DG Set 7_2750KVA)	0	57.8	0	<150 mg/Nm3	NA
SO2 (DG Set 8_2750KVA)	0.59	0	0	<227.7 Kg/day	NA
TPM (DG Set 8_2750KVA)	0	61.3	0	<150 mg/Nm3	NA
SO2(DG Set 9_2750KVA)	0.63	0	0	<227.7 Kg/day	NA
TPM (DG Set 9_2750KVA)	0	56.8	0	<150 mg/Nm3	NA
SO2(DG Set 10_2500KVA)	0.65	0	0	<227.7 Kg/day	NA
TPM (DG Set 10_2500KVA)	0	54.8	0	<150 mg/Nm3	NA
SO2 (DG Set 11_2500KVA)	0.56	0	0	<227.7 Kg/day	NA
TPM (DG Set 11_2500KVA)	0	45.2	0	<150 mg/Nm3	NA
SO2(DG Set 12_2500KVA)	0.68	0	0	<227.7 Kg/day	NA
TPM (DG Set 12_2500KVA)	0	49.9	0	<150 mg/Nm3	NA
SO2 (DG Set 13_2750KVA)	0.73	0	0	<227.7 Kg/day	NA
TPM (DG Set 13_2750KVA)	0	58.2	0	<150 mg/Nm3	NA
SO2(DG Set 14_2750KVA)	0.70	0	0	<227.7 Kg/day	NA
TPM (DG Set 14_2750KVA)	0	60.1	0	<150 mg/Nm3	NA
SO2 (DG Set 15_2750KVA)	0.64	0	0	<227.7 Kg/day	NA
TPM (DG Set 15_2750KVA)	0	62.5	0	<150 mg/Nm3	NA
SO2(DG Set 16_2500KVA)	0.61	0	0	<227.7 Kg/day	NA
TPM (DG Set 16_2500KVA)	0	52.4	0	<150 mg/Nm3	NA
SO2 (DG Set 17_2750KVA)	0.54	0	0	<227.7 Kg/day	NA
TPM (DG Set 17_2750KVA)	0	59.8	0	<150 mg/Nm3	NA
SO2 (DG Set 18_2750KVA)	0.65	0	0	<227.7 Kg/day	NA
TPM (DG Set 18_2750KVA)	0	63.2	0	<150 mg/Nm3	NA
SO2(DG Set 19_2750KVA)	0.74	0	0	<227.7 Kg/day	NA
TPM (DG Set 19_2750KVA)	0	55.3	0	<150 mg/Nm3	NA
SO2 (DG Set 20_2750KVA)	0.75	0	0	<227.7 Kg/day	NA
TPM (DG Set 20_2750KVA)	0	58.2	0	<150 mg/Nm3	NA
SO2 (DG Set 21_2500KVA)	0.81	0	0	<227.7 Kg/day	NA
TPM (DG Set 21_2500KVA)	0	61.4	0	<150 mg/Nm3	NA
SO2 (DG Set 22_2500KVA)	0.82	0	0	<227.7 Kg/day	NA
TPM (DG Set 22_2500KVA)	0	56.7	0	<150 mg/Nm3	NA

SO2 (DG Set 23_2750KVA)	0.73	0	0	<227.7 Kg/day	NA
TPM (DG Set 23_2750KVA)	0	60.5	0	<150 mg/Nm3	NA
SO2 (DG Set 24_2750KVA)	0.79	0	0	<227.7 Kg/day	NA
TPM (DG Set 24_2750KVA)	0	64.2	0	<150 mg/Nm3	NA
SO2(DG Set 25_2500KVA)	0.75	0	0	<227.7 Kg/day	NA
TPM (DG Set 25_2500KVA)	0	54.3	0	<150 mg/Nm3	NA

Part-D

HAZARDOUS WASTES

1) From Process

Hazardous Waste Type	Total During Previous Financial year	Total During Current Financial year	UOM
5.1 Used or spent oil	0	1215	Ltr/A
Other Hazardous Waste	0	42	Nos./Y
Other Hazardous Waste	0	0	Kg/Annum

2) From Pollution Control Facilities

Hazardous Waste Type	Total During Previous Financial year	Total During Current Financial year	UOM
0	0	0	

Part-E

SOLID WASTES

1) From Process

Non Hazardous Waste Type	Total During Previous Financial year	Total During Current Financial year	UOM
Bio-degradable waste	1.8	1.7	MT/A
Non-Biodegradable Waste	1.22	1.30	MT/A

2) From Pollution Control Facilities

Non Hazardous Waste Type	Total During Previous Financial year	Total During Current Financial year	UOM
STP Sludge	0.03	0.04	MT/A

3) Quantity Recycled or Re-utilized within the unit

Waste Type	Total During Previous Financial year	Total During Current Financial year	UOM
0	0	0	MT/A

Part-F

Please specify the characteristics(in terms of concentration and quantum) of hazardous as well as solid wastes and indicate disposal practice adopted for both these categories of wastes.

1) Hazardous Waste

Type of Hazardous Waste Generated	Qty of Hazardous Waste	UOM	Concentration of Hazardous Waste
5.1 Used or spent oil	1215	Ltr/A	Sale to Authorized Recycler
Other Hazardous Waste	42	Nos./Y	Lube Oil filters-42 Nos/Y-Sale to authorized recycler
Other Hazardous Waste	0	Kg/Annum	Sale to authorized recycler

2) Solid Waste

Type of Solid Waste Generated	Qty of Solid Waste	UOM	Concentration of Solid Waste
Bio-degradable waste	1.7	MT/A	Used as manure
Non- Biodegradable waste	1.30	MT/A	Handed over Authorized Vendor
STP Sludge	0.04	MT/A	Used as manure

Part-G

Impact of the pollution Control measures taken on conservation of natural resources and consequently on the cost of production.

Description	Reduction in Water Consumption (M3/day)	Reduction in Fuel & Solvent Consumption (KL/day)	Reduction in Raw Material (Kg)	Reduction in Power Consumption (KWH)	Capital Investment(in Lacs)	Reduction in Maintenance(in Lacs)
NA	0	0	0	0	0	0

Part-H

Additional measures/investment proposal for environmental protection abatement of pollution, prevention of pollution.
[A] Investment made during the period of Environmental Statement

Detail of measures for Environmental Protection	Environmental Protection Measures	Capital Investment (Lacks)
Environment Management Plan	Water Pollution Control System Green Belt Development Environmental monitoring / Environmental Managementent/ Maintenances	29.29

[B] Investment Proposed for next Year

Detail of measures for Environmental Protection	Environmental Protection Measures	Capital Investment (Lacks)
Environment Management Plan	Water Pollution Control System, Environmental monitoring / Environmental Managementent/ Maintenances	11.65

Part-I

Any other particulars for improving the quality of the environment.

Particulars

ESR: 2025-2026

Name & Designation

Mr. Rajesh Kumar Tiwari, Associate Vice President

UAN No:

MPCB-ENVIRONMENT_STATEMENT-0000092388

Submitted On:

20-05-2026